

Index

- adaptive optics (AO), 43, 44, 55, 191, 202, 214, 244, 441, 442, 456
aerosols, 13, 53, 130, 140, 292, 293, 298, 321, 322, 332, 333, 479
AGB, *see* asymptotic giant branch
aggregates, agglomerates, 63, 64, 69, 76, 119, 121, 136, 138, 296, 305, 309, 332, 334, 335, 340, 380, 389–92, 396, 427, 431, 446, 472
airglow, 420
albedo, 290, 297, 304, 315, 317, 324, 341, 389–91, 413–16
 Bond, 447
 equigonal, 305
 geometric, 62, 68, 341, 344, 350, 353, 360, 364, 371, 413, 427, 440, 444, 447–49, 452
 single scattering, 24, 25, 125, 330, 331
alignment
 degree of, 89, 94
gas drag, 388, 395
mechanical, 82, 83, 96, 100, 211
paramagnetic, 81, 86, 92, 94, 95, 100, 102, 105, 107
radiative (RAT, RT), 84, 85, 89, 92, 97, 100, 105, 107, 152, 153
aliphatic CH features, 97, 99, 103, 106, 153
alkali, 446, 448
ambipolar diffusion, 200, 206
amino acids, 170, 395, 464–74
AO, *see* adaptive optics
Arago, Francois (1786–1853), 64, 380
asteroids, 8, 63–76, 244, 246, 258, 307, 312, 324, 354, 380, 383, 413, 422, 446, 449
 Lutetia, 69, 76, 374
 Steins, 70, 364
 Vesta, 76, 114, 360, 374, 375
asymmetric photolysis, 170, 466
asymptotic giant branch (AGB), 210
backscattering, 135, 139, 353, 414, 419, 422, 445, 449, 452, 456
 coherent, 32, 62, 67, 115, 118, 125, 305, 342, 361, 364, 368, 414, 416
biosignature, 316, 463, 465, 468
birefringence, 36, 38, 41, 147, 149, 168, 248
 circular, 464, 471, 472
Blazhko effect, 237
brown dwarfs, 457
Centaurs
 1999 TD10, 407, 411, 412
 Chariklo, 412
 Chiron, 406, 407, 411, 414
 Pholus, 412, 414
Chandrasekhar–Fermi technique, 95, 155, 204, 205
chirality, 297, 395, 462, 465, 468, 471, 474
chlorophyll, 456, 463, 464, 468, 472
CMB, *see* cosmic microwave background
comet
 coma(e), 63, 64, 71, 72, 76, 120, 246, 379, 380, 381, 385, 389, 392, 395, 397
 jets, 72, 379, 381, 386
 nucleus, 94, 379, 381–83, 389, 392–97, 415, 473
 tail, 64, 379, 392, 398
comets, 81, 82, 92, 94, 107, 138, 244, 367, 422, 427, 431, 462, 473
 Churyumov–Gerasimenko, 387
 Elst–Pizarro, 367, 392
 Encke, 367, 383, 387, 392, 397, 415
 Grigg–Skjellerup, 381, 387
 Hale–Bopp, 74, 94, 389, 391, 395, 397
 Halley, 64, 72, 74, 137, 380, 381, 384, 388, 389, 390, 393, 425
 Hartley 2, 381, 387
 Holmes, 384, 387, 389
 Shoemaker–Levy 9, 322
 Tempel 1, 385, 387, 388, 395
cosmic microwave background (CMB), 93, 101, 158, 419
Cotton effect, 465, 470
cross section
 absorption, 24, 25
 extinction, 21, 24, 25, 148
 scattering, 24, 25, 390, 425
cross-talk, 36, 41, 44, 50, 52
da Vinci, Leonardo (1452–1519), 455
Davis–Greenstein mechanism, 91, 95, 101, 211
DDA, *see* discrete dipole approximation
detectors
 avalanche photodiodes, 39, 52
 CCD (charge coupled device), 15, 39, 42, 51, 66, 70, 184, 228, 268, 285, 363, 381, 387
 photoelectric, 14
 silicon photodiodes, 132, 326

- dichroic extinction, 97, 105, 166, 168, 169, 176, 201, 203, 443, 454, 467
dichroism, 23, 147
 circular, 464, 466, 470, 471
differential speckle polarimetry, 250
discrete dipole approximation (DDA), 32, 82, 118, 120, 148, 380, 390
discrete random medium, 29
disks
 accretion, 81, 92, 107, 186, 191, 202, 216
 circumstellar (envelopes), 162, 168, 171, 172, 178–80, 182, 185, 186, 187, 192–93, 202, 210, 212, 228, 237, 244, 246, 247, 249, 250, 253, 254, 255, 258
 debris, 166, 167, 184, 432, 454
 pre-transitional, 255
 protoplanetary, 51, 163, 167, 168, 248, 395
Dollfus, Audouin (1924–2010), 63, 296, 303
Doppler
 broadening, 227, 228, 232, 235
 shift, 187, 230, 231, 269, 271
dual-beam polarimeters, 42, 51, 53, 201, 245, 248, 252, 343, 363
dust (grains)
 alignment, 147, 152, 155, 157, 165, 168, 171, 184, 190, 192, 202, 203, 211, 216, 258, 388, 389, 395, 425, 430, 467
 cometary, 65, 71, 120, 130, 138, 246, 252, 322, 367, 379, 425, 427, 430, 472, 474
 helical, 82, 83, 88, 107
 interplanetary, 62, 63–64, 65, 71–72, 75, 101, 120, 130, 132, 380, 390
 interstellar, 5, 7, 43, 81, 82, 85, 90, 92, 94, 96, 101, 131, 147, 148, 168, 201, 390, 427, 431
 thermal emission, 148, 165, 170, 210, 256, 258, 396, 419
 wobbling, 84, 88, 89, 90
dwarf planets, 405
 Ceres, 114, 361, 375
 Eris, 409
 Haumea, 409
 Makemake, 409
 Orcus, 410
 Pluto, 405, 407, 408, 412
 Quaoar, 410
Earthshine, 316, 463
effective medium theory, 148
enantiomeric excess, 170, 395, 466, 472
exoplanets, 13, 39, 50, 255, 258, 462, 467, 471, 475
exosphere, 292
exozodiacal, 454
extinction curve, 99, 101, 103, 104
Faraday rotation, 99, 226
far-field, 18, 24, 115, 119, 122, 126
finite-difference time-domain method, 32
forward scattering, 135, 139, 251, 252, 332, 334, 379, 395
Foster prism, 45, 47, 50
Fresnel reflection, 362
Galilean satellites, 114, 341–42, 414, 447
gegenschein, 419–22, 431
Gehrels, Tom (1925–2011), i, 3, 325, 360, 379
glint, 449, 463
glory, 295
GPIPS (Galactic Plane Infrared Polarization Survey), 81, 155, 157
Green's function, 18
habitable zone, 462
Halos, 66
Hanle effect, 228, 269, 274, 276, 280
Hapke model, 33
harmonic oscillator
 π and σ components, 225, 230, 269, 276
Hertzsprung–Russell (HR) diagram, 183, 210, 224, 234
homochirality, 169, 203, 430, 462–75
Huygens, Christiaan (1629–1695), 439
ices
 ammonia, 132, 321, 328, 331, 336, 447
 ammonium hydrosulfide, 328
 carbon dioxide, 379, 468
 carbon monoxide, 102, 154, 379, 414
 dirty, 252, 389, 467
 ethane, 410
 methane, 335, 407, 410, 414, 415
 methanol, 412, 415
 nitrogen, 408, 414
 water, 152, 154, 298, 328, 348, 351, 353, 379, 407–16
instrumental polarization, 36, 42, 44, 50, 53, 66, 165, 250, 314, 343, 344, 350, 406, 454
instruments
 ACS (Advanced Camera for Surveys), 52, 249
 CanariCam, 45, 50, 201
 CIAO (Coronagraphic Imager for Adaptive Optics), 166, 248, 251
 CODAG (Cosmic Dust Aggregation), 70, 76
 DISR (Huygens descent imager/spectro-radiometer), 324
 ESPAOnS (Echelle Polarimetric Device for the Observation of Stars), 41, 50, 228, 236
 ExPo (Extreme Polarimeter), 214, 249
 FORS (Focal Reducer and Spectrograph), 44, 45, 228, 229, 235, 351, 364, 405, 407, 413, 456, 475
 GPI (Gemini Planet Imager), 51, 249, 253
 HARPS and HARPSpol (High Accuracy Radial velocity Planet Searcher), 46, 50, 228
 HICAO (High Contrast Instrument for Adaptive Optics), 47, 248, 252, 254
 HiVIS (High Resolution Visible and Infrared Spectrograph), 42, 46, 51
 HOPE (Halley Optical Probe Experiment), 386
 ICAPS (Cosmic and Atmospheric Particles System), 76
 IPP (Pioneer 10 and 11 Imaging Photopolarimeter), 8, 72, 326, 349
 IRCAL (Infrared Camera for Adaptive Optics at Lick), 47, 248
 IRDIS (Infrared Differential Imager/Spectrograph), 47, 250
 IRIM (Infrared Imaging Magnetograph), 48, 165
 LRIS (Low Resolution Imaging Spectrograph), 44
 Lyot Project coronagraph and polarimeter, 252, 253
 MMT-POL (MMT Polarimeter), 45

- instruments (*cont.*)
- MSPI (Multi-angle SpectroPolarimeter Imager), 54, 55
 - NaCO (Nasmyth Adaptive Optics System (NAOS) - CONICA at VLT), 214, 248, 254
 - Narval, 47, 50, 228, 236
 - NICMOS (Near-Infrared Camera and Multi-Object Spectrometer), 52, 214, 249, 252, 254
 - OCPP (Orbiter Cloud Photopolarimeter), 293
 - PlanetPol, 43, 48, 452, 454
 - Polariscope, 5, 8
 - PolCor (Polarimeter Coronagraph), 47, 213, 252
 - POLDER (Polarization and Directionality of the Earth's Reflectances), 53, 54
 - POLISH and POLISH2 (Polarimeter for Inclination Studies of High-mass X-ray Binaries), 48, 249, 452
 - PolKa (Polarimeter für Bolometer Kameras), 171
 - PPR (Photopolarimeter/Radiometer), 349
 - PPS (Photopolarimeter Subsystem), 324
 - PROGRA2 (Propriétés des Grains Astronomiques et Atmosphériques), 65, 70, 73
 - SCUBA (SCU-POL, SCUBA2Pol) (Submillimeter Common User Bolometer Array), 81, 171, 201, 216
 - SHARP (Polarimeter for the Submillimeter High Angular Resolution Camera), 205
 - SIRPOL (Survey Infrared Polarimeter), 46, 164, 169
 - SPEX (Spectropolarimeter for Planetary Exploration), 54, 55
 - SPHERE (Spectropolarimetric High Contrast Exoplanet Research), 249, 253
 - SPICAV-IR (Spectroscopy for Investigation of Characteristics of the Atmosphere of Venus – Infrared), 54, 295
 - TurPol (Turku Photopolarimeter), 48, 452, 453, 454
 - WFC (Wide Field Camera), 48, 249, 257
 - WFPC2 (Wide Field and Planetary Camera 2), 249
 - WUPPE (Wisconsin Ultraviolet Photopolarimeter Experiment), 297, 312
 - ZIMPOL (Zurich Imaging Polarimeter), 39, 42, 47, 51, 250, 268, 274, 279, 285
- interstellar
- extinction, 147, 151
 - medium, 81, 107, 147, 162, 168, 211, 443, 454
 - polarization, 81, 83, 96, 104, 177, 178, 180, 183, 443, 454
 - turbulence, 148, 154, 157
- inverse problem, 259
- inversion angle, 69, 71, 73, 75, 289, 292, 293, 297, 304, 305, 312, 316, 340, 343, 353, 354, 362, 364, 367, 369, 374, 382, 392, 411, 422, 429
- J attractor, 85, 86–93
- Jones formalism, 35
- KBO, *see* Kuiper Belt Objects
- Kolmogorov test, 180
- Kuiper Airborne Observatory (KAO), 165, 171
- Kuiper Belt, 257, 385, 412, 431
- Kuiper Belt Objects (KBO), 244, 258, 462, *see also* TNO
- Kuiper, Gerard (1905–1973), 7, 8
- ladder approximation, 31
- Lambertian
- disk, 365
 - sphere, 440, 447, 451
 - surface, 341
- Landé factor, 226, 271
- Larmor frequency, 225
- Larmor precession, 84, 86, 105, 276, 280
- Larson law, 200
- least-square deconvolution (LSD), 230
- level-crossing phenomena, 280
- limb darkening, 230, 274, 275, 278, 449
- LSD, *see* least-square deconvolution
- lunar samples, 63, 65, 67, 115, 290, 304, 309, 312, 364
- Lyman series, 273
- Lyot filter, 49, 52
- Lyot, Bernard (1897–1952), 50, 63, 114
- magnetic
- accretion, 188, 233, 236
 - dipole, 233
 - Doppler imaging (MDI), 231
 - mean longitudinal field, 229, 230, 231, 234
 - spots, 180, 181, 230
- magnetic fields, 81, 87, 92–97, 103, 107, 164, 211, 467
- dipole, 216, 228
 - exoplanets, 447
 - galactic, 147, 155, 156, 443
 - helical, 203
 - interplanetary, 93, 395, 430
 - polaroidal, 218, 233
 - radial, 218, 219
 - random, 150, 155
 - strength, 88, 95, 155, 156, 171, 200, 204, 211, 216, 218–20, 226, 228, 230, 232–33, 235, 269, 271, 277, 279, 283
 - Sun, 267–84
 - supercritical, 200
 - toroidal, 216, 218, 233
 - weak-field regime, 226, 228, 229, 230
- magnetograms, 52, 270, 272, 281, 282
- Mars, 75, 76, 289, 413, 449, 462
- clouds, 296, 298
 - dust, 130, 298
 - dust analog (palagonite), 130, 135
 - surface, 296, 474
- masers, 211, 217, 218
- mass-loss rates, 210, 212
- matrix
- 2x2 cross spectral density, 35
 - amplitude scattering, 19, 22, 24, 119
 - extinction, 23, 28
 - Mueller, 36, 43, 119, 121, 480
 - phase, 23, 24, 28, 331
 - scattering, 25, 65, 120, 440
- Maxwell's (equations, electromagnetics), 13, 17, 25, 29, 32, 119, 125, 305, 390
- Mercury, 76, 125, 446, 468
- meteorites, 63, 65, 70, 72, 138, 170, 367, 368, 374, 395, 430, 465, 467, 474
- microgravity measurements, 64, 65, 73, 380, 397
- microwave analogue measurements, 25, 63, 131, 380, 428
- Mie theory, 32, 130, 134, 135, 148, 151, 178, 251, 292, 321, 328, 331, 428, 443, 466
- Milne–Eddington atmosphere, 226, 273
- modulation
- electro-optic, 268

- spatial, 40, 42, 52, 55
spectral, 40, 55
temporal, 40, 42, 52, 446
modulators
 electro-optic, 132, 285
 ferroelectric liquid crystals (FLC), 47, 249, 250
 liquid crystal, 38, 39, 42, 51, 55
 photo-elastic, 39, 55, 249
 Pockels cell, 212
 polychromatic, 39
molecular clouds, 107, 162
 lifetimes, 199
 turbulence, 200, 204
 turbulent angular dispersion, 204, 205
 velocity dispersion, 200, 204
monomers, 121, 136, 332, 334, 342, 380, 390, 392, 395, 396, 428, 446
Moon, 7, 63, 65, 74, 76, 114, 125, 289, 349, 354, 365, 446, 454
Mueller formalism, 35
multiple scattering, 63, 69, 72, 73, 75, 168, 177, 178, 184, 186, 190, 191, 202, 292, 305, 310, 316, 321, 324, 334, 342, 361, 384, 387, 395, 430, 441, 451, 463, 468, 472
- NASA Planetary Data System (PDS), 341, 361
near-Earth objects (NEO), 362, 364, 366, 367, 371, 374
near-field, 28, 32, 119, 342
NEO, *see* near-Earth objects
nephelometer, 32
non-redundant aperture masking (NRM), 250
- oblique rotator model, 234, 235
occultation
 by comets, 94, 379
 of exoplanets, 444, 452
 stellar, 180, 371, 412
Oort cloud, 385, 405, 411
Oort, Jan (1900–1992), 6
opposition (effect, phenomena, surge), 7, 8, 32, 64, 68, 114, 117, 118, 305, 341, 348, 353, 354, 371, 373, 410, 414
optical theorem, 21, 23
optical thickness, 13, 124, 293, 294, 295, 297, 329, 330, 395
optically active material, 121, 324, 395, 430, 464, 471, 474
organics, 321, 336, 351, 367, 379, 385, 391, 395, 428, 430, 466, 468, 471
- packing density (*see also* porosity), 13, 28, 29, 33, 68, 115, 121, 340, 342, 415
PAH, *see* polycyclic aromatic hydrocarbon
particles
 cluster of, 25, 26, 305
 ellipsoids, 83, 107, 178, 321
 fluffy, 246, 251, 390, 427, 431
 fractal, 251, 258, 428, 446
 irregular, 62, 63, 65, 69, 75, 82, 83, 90, 92, 94, 107, 130, 132, 133, 290, 296, 299, 305, 310, 364, 390, 428, 430
 non-spherical, 115, 118, 130, 139, 150, 168, 210, 216, 251, 321, 387, 389, 390, 428, 446, 454
 optically anisotropic, 148
 spherical, 13, 32, 389
 spheroidal, 466
 stochastic, 27, 29, 65
- Paschen–Back effect, 228, 269, 280
PCA, *see* principal component analysis
phase function, 66, 70, 116, 120, 121, 131, 133, 135, 168, 191, 246, 329, 331, 428, 440
 Henyey–Greenstein, 120, 331
 Hilton, 447
 Lambertian, 447, 448
photosynthesis, 471, 474
planetesimals, 244, 251, 258
plutinos, 405, 410
point spread function (PSF), 35, 212, 245, 249, 441
polarimetric
 accuracy, 36, 41, 53, 201, 268
 color, 139, 313, 384, 387, 389, 391, 397, 424, 428, 431
 efficiency, 36, 39, 41, 43, 50, 53, 102, 103, 150, 153
 sensitivity, 36, 40, 52, 53, 55, 249, 268
 slope, 307, 362, 365, 369, 370, 372, 374, 382
polarimetry
 coronagraphic, 247, 249, 250, 252, 255, 257, 420
 differential imaging, 191, 245, 248, 252
 integral field, 250
polarizability factor, 273, 280
polarization
 centro-symmetric patterns, 190, 201, 212
 circular, 92, 93, 99, 106, 120, 147, 176, 211, 217, 226, 230, 269, 297, 303, 379, 462, 468
 disks, 190, 191, 192, 202
 elliptical, 226, 269, 379, 479
 negative, 62, 64, 66, 71, 73, 75, 114–21, 289, 292, 294, 296–300, 304–08, 315–16, 317, 322, 331, 332, 333, 340, 342, 347–51, 354, 360, 362, 368, 373, 379, 380, 382, 387, 389, 390, 391, 392, 409–16, 422, 426, 441, 449, 456, 480
 null, 190, 192, 202, 372
 quadrupolar (butterfly) pattern, 202
 reversal, 177, 192, 269, 322
 sky, 343, 363, 446, 454
 Sun, 440, 449
polarizers
 dichroic, 36, 53
 Polaroid sheet, 211
 wire-grid, 36, 55, 200, 211, 248, 249
polycyclic aromatic hydrocarbon (PAH), 82, 95, 108, 191, 210, 216, 428
porosity (*see also* packing density), 62, 246, 254, 390, 392, 428, 463, 472
Poynting–Robertson effect, 426, 429
principal component analysis (PCA), 231, 246, 366
protoplanets, 244, 255
protosolar nebula, 391, 467
protostar, 163, 168, 171, 201
PSF, *see* point spread function
Purcell's torques (alignment), 102
pyroxenes, 312, 428
- radiation pressure, 210, 217
radiative
 levitation, 234
 torques, 211, 395, 430, 467
 transfer, 31, 32, 76, 102, 193, 231, 247, 280, 292

- radiometer, 65, 326
 panoramic, 15
 well-collimated, 14
- rainbows, 292, 329, 336, 463
- RAT, RT, *see* alignment, radiative
- ray-tracing modeling, 35, 43, 305, 310
- red edge, 456, 468, 470, 471
- reflection nebula, 100, 130, 162, 167, 169, 192, 201
- refractive index, 18, 24, 25, 26, 62, 73, 74, 121, 125, 130, 135, 137, 147, 168, 292, 293, 294, 296, 310, 321, 328, 331, 334, 342, 368, 373, 379, 388, 390, 391, 428, 463, 467, 472
- regolith, 13, 63, 64, 68, 75, 117, 125, 246, 289, 290, 305, 306, 308, 309, 316, 324, 340, 341, 342, 344, 354, 355, 360, 364, 374, 414, 415, 441, 456
- relaxation
- Barnett, 86, 89, 107
 - internal, 84, 86, 87, 89, 90, 91, 108
 - paramagnetic, 82, 83, 90, 91, 95, 108, 153, 211
- resonance fluorescence, 380, 396
- retarders
- Fresnel rhomb, 39, 46, 50, 54, 55, 228
 - half-wave, 37, 44, 50, 51, 52, 53, 131, 200, 201, 248, 250, 326, 363
 - multiple-order, 40
 - quarter-wave, 38, 40, 43, 50, 52, 55, 133, 201
- Rochon prisms, 249
- Saturn
- clouds, 130, 132
 - rings, 114, 115, 125, 246, 341, 343, 451
- Savart plate, 37, 363
- scattering
- dipole, 273
 - fluorescent, 273
 - plane, 25, 66, 119, 131, 134, 303, 317, 320, 326, 327, 335, 340, 343, 361, 362, 380, 387, 406, 409, 419, 422, 440, 443, 449, 450, 480
 - Raman, 273, 452
 - Rayleigh, 43, 118, 188, 249, 251, 269, 273, 293, 294, 299, 316, 320, 321, 323, 329, 334, 362, 379, 384, 391, 416, 441, 443, 446, 449, 451, 453, 456, 457
 - resonance, 273, 292
 - Thomson, 185, 189, 190, 273, 379, 424
- Second Solar Spectrum, 269, 274, 279, 281, 285
- SED, *see* spectral energy distribution
- Serkowski relation (law), 43, 93, 95, 151, 152
- shadow-hiding mechanism, 7, 305, 342, 353
- silicates, 71, 74, 95, 107, 152, 246, 252, 289, 366, 379, 391, 428, 430, 431
- dirty, 389
- simple line addition technique (SLA), 230
- single beam polarimeters, 200, 202
- SLA, *see* simple line addition technique
- solar
- eclipse, 424
 - occultation, 424
 - wind, 94, 369, 430
- space missions
- Akatsuki, 420, 432
- Apollo [11, 12], 63, 68
- Apollo-17, 309
- Cassini, 48, 53, 324, 328, 332, 333, 336, 351, 352, 446
- COBE (Cosmic Background Explorer), 431
- D2A satellite, 421
- Dawn, 375
- Deep Impact, 387, 388, 395
- EXCEDE (Exoplanetary Circumstellar Environments and Disk Explorer), 257
- Eye-Sat, 432
- Gaia, 367, 373
- Galileo, 53, 54, 324, 329, 344, 346, 349, 370
- Giotto, 381, 391, 425
- Glory, 54
- Helios, 420, 421, 422
- Hinode, 49, 52, 269
- Huygens, 54, 73, 327, 335, 446
- Intercosmos satellite 16, 278
- Kepler, 439, 446, 447, 457
- Luna [16, 17, 20, 21, 24], 63, 304, 309
- Pioneer [10, 11, 12], 5, 8, 53, 54, 72, 324, 329, 332, 334, 349, 420, 446
- Pioneer Venus, 293
- Planck, 81, 94, 96, 101, 419
- Rosetta, 364, 374, 387
- SDO (Solar Dynamics Observatory), 49, 52
- SOHO (Solar Heliospheric Observatory), 52, 381, 424
- Stardust, 121, 138, 391, 397, 428
- Vega, 391
- Venera [8, 11], 296
- Venus Express, 293
- Voyager, 8, 54, 72, 324, 327, 332, 335
- speckles, 245, 248, 249
- spectral energy distribution (SED), 163, 183, 186, 191, 210, 256, 258
- spectro-polarimetry, 40, 44, 158, 166, 176, 178, 184, 190, 193, 216, 219, 233, 237, 245, 267, 268, 285, 303, 316, 351, 456, 463, 468, 471, 475
- standing wave, 119
- star-forming regions, 156, 158, 171, 189, 467
- starspots, 455
- stellar
- jets, outflows, 162, 165, 166, 169, 178, 184, 186, 189, 202, 210, 215–20, 238
 - winds, 168, 217, 224, 232, 235, 244
- Stokes
- formalism, 35
 - inversion, 270, 273
- parameters (vector), 15, 22, 23, 27, 36, 39, 40, 44, 50, 52, 55, 63, 76, 117, 120, 131, 148, 149, 171, 185, 189, 200, 227, 229, 231, 245, 268, 269, 270, 275, 276, 279, 282, 283, 289, 299, 303, 320, 324, 325, 326, 343, 363, 380, 398, 406, 420, 440, 444, 463, 469, 471, 479
- profile, 224, 226, 230, 231, 270
- Strehl ratio, 254
- sub-mm polarization, 97, 101, 154, 158
- sulfuric acid, 13, 62, 130, 293, 294, 295, 445
- Sun, 229, 232–33, 312, 419, 425, 431, 449, 463
- sunspots, 232

- supernova, 51, 467
superparamagnetic grains, 89
inclusions, 152
suprathermal rotation, 152, 211
- telescopes
1.25-m telescope of the Crimean Astrophysical Observatory, 363
1.8-m Astrophysical Observatory of Asiago, 363
2.1-m telescope of the Complejo Astronómico El Leoncito (CASLEO), 363
2.6-m telescope of the Crimean Astrophysical Observatory, 350
3-m Shane Telescope, 166
6-m Telescope of the Special Astrophysical Observatory of the Russian Academy of Sciences, 344, 353
AAT (Anglo–Australian Telescope), 201, 454
ALMA (Atacama Large Millimeter/submillimeter Array), 158, 171, 206, 219, 247
ATCA (Australia Telescope Compact Array), 219
Bernard Lyot of the Observatoire du Pic-du-Midi, 228
CFHT (Canada–France–Hawaii Telescope), 228, 248
CSO (Caltech Submillimeter Observatory), 171, 205
HST (Hubble Space Telescope), 48, 163, 210, 212, 244, 245, 247, 251, 253, 298, 322, 442, 449, 452
IRAS (Infrared Astronomical Satellite), 166, 247, 370, 431
IRSF (Infrared Survey Facility), 46, 164, 169
ISO (Infrared Space Observatory), 214
JCMT (James Clerk Maxwell Telescope), 171, 201, 216
Keck Interferometer, 257
Kitt Peak McMath–Pierce facility, 270, 284
LBTI (Large Binocular Telescope Interferometer), 257
MERLIN (Multi-Element Radio-Linked Interferometer), 218
NOT (Nordic Optical Telescope), 213, 252, 363, 452
Palomar, 6, 9, 249, 452, 454
SMA (Submillimeter Array), 158, 172, 206, 217
SOFIA (Stratospheric Observatory for Infrared Astronomy), 171
Spitzer Space Telescope, 164, 421, 454
Subaru, 45, 47, 166, 202, 214, 248, 250
THEMIS, 49, 285
UKIRT (United Kingdom Infrared Telescope), 165, 201, 212, 253
VLBA (Very Long Baseline Array), 218
VLT (ESO Very Large Telescope), 44, 51, 192, 214, 228, 248, 253, 254, 351, 364, 368, 370, 405, 413, 456, 475
WHT (William Herschel Telescope), 45, 51, 214, 452
WISE (Wide-field Infrared Survey Explorer), 371, 372, 375
- tidal coupling, 232
- Titan, 475
aerosols, 65, 445, 446
haze, 53, 328, 335, 446
- T-matrix, 29, 32, 115–20, 148, 353, 380, 390, 397, 472
- TNO, *see* transneptunian objects
transneptunian objects (TNO), 354, 362, *see also* KBO 1999 DE9, 354, 411
Huya, 354, 410, 413, 414
Ixion, 354, 405, 406, 407, 410
Varuna, 354, 410
- Twersky approximation, 31
- ultraviolet, *see* UV
Umov effect, 62, 68, 73, 290, 304, 305, 308, 310–17, 350, 427, 441
- Unno–Rachkovsky solution, 226, 273
- UV
extinction, 95, 96
polarization, 8, 94, 96, 298, 466, 467
polarization excess, 94–106
wind lines, 235
- Venus, 7, 8, 289, 299, 445, 447
atmosphere, 13, 130
clouds, 13, 62, 445, 447
polarization of, 463
- volcanic ash, 63, 65, 73, 75, 130
- volume integral methods, 17, 119
- water droplets, 16, 133
weak localization of photons, 118
- Wilking law, 151
- Wollaston prism, 36, 45, 48–50, 51, 54–55, 201, 228, 248, 249, 250, 252, 325, 326, 343, 363, 364, 406
- young stellar objects (YSO), 100, 103, 191, 202, 206
Class 0, 162, 166
Class I, 162, 163, 166
Class II, 163, 166
Class III, 163
- YSO, *see* young stellar objects
- ZDI, *see* Zeeman Doppler Imaging
Zeeman Doppler Imaging (ZDI), 231, 235
Zeeman effect, 44, 95, 204, 218, 219, 230, 233, 236, 275, 277–82, 286, 455
- Zeeman effect (transverse, anomalous), 269, 275–84
- zodiacal
dust, 93, 244, 246, 251, 257, 380, 383
light, 132, 257, 419, 432